



Pipe

<u>Size (in)</u>	<u>O.D.</u>	<u>Schedule</u>	<u>Wall</u>	<u>Wt./Ft.</u>	<u>Size (in)</u>	<u>O.D.</u>	<u>Schedule</u>	<u>Wall</u>	<u>Wt./Ft.</u>		
1/8	0.405	5	0.035	0.1383	1-1/2	1.900	5	0.065	1.2740		
		10	0.049	0.1863			10	0.109	2.0850		
		40 Std.	0.068	0.2447			40 Std.	0.145	2.7180		
		80 Ex. Hvy.	0.095	0.3145			80 Ex. Hvy.	0.200	3.6310		
1/4	0.540	5	0.049	0.2570	2	2.375	10	0.109	2.6380		
		10	0.065	0.3297			40 Std.	0.154	3.6530		
		40 Std.	0.088	0.4248			80 Ex. Hvy.	0.218	5.0220		
		80 Ex. Hvy.	0.119	0.5351			160	0.343	7.4440		
3/8	0.675	5	0.049	0.3276	2-1/2	2.875	5	0.083	2.4750		
		10	0.065	0.4235			10	0.120	3.5310		
		40 Std.	0.091	0.5676			40 Std.	0.203	5.7930		
		80 Ex. Hvy.	0.126	0.7388			80 Ex. Hvy.	0.276	7.6610		
1/2	0.840	5	0.065	0.5383	3	3.500	10	0.120	4.3320		
		10	0.083	0.6710			40 Std.	0.216	7.5760		
		40 Std.	0.109	0.8510			80 Ex. Hvy.	0.300	10.2500		
		80 Ex. Hvy.	0.147	1.0880			160	0.437	14.3200		
3/4	1.050	5	0.065	0.6838	3-1/2	4.000	5	0.083	3.4720		
		10	0.083	0.8572			10	0.120	4.9730		
		40 Std.	0.113	1.1310			40 Std.	0.226	9.1090		
		80 Ex. Hvy.	0.154	1.4740			80 Ex. Hvy.	0.318	12.5100		
1	1.315	5	0.065	0.8678	4	4.500	5	0.083	3.9150		
		10	0.109	1.4040			10	0.120	5.6130		
		40 Std.	0.133	1.6790			40 Std.	0.237	10.7900		
		80 Ex. Hvy.	0.179	2.1720			60	0.281	12.6600		
1-1/4	1.660	5	0.065	1.1070	160	160	80 Ex. Hvy.	0.337	14.9800		
		10	0.109	1.8060			120	0.437	19.0100		
		40 Std.	0.140	2.2730			160	0.531	22.5100		
		80 Ex. Hvy.	0.191	2.9970			XX Hvy.	0.674	27.5400		
		160	0.250	3.7650			XX Hvy.	0.382	5.2140		
		XX Hvy.	0.294	1.7140							
		160	0.187	1.3040							
		XX Hvy.	0.294	1.7140							



Pipe (continued)

<u>Size (in)</u>	<u>O.D.</u>	<u>Schedule</u>	<u>Wall</u>	<u>Wt./Ft.</u>	<u>Size (in)</u>	<u>O.D.</u>	<u>Schedule</u>	<u>Wall</u>	<u>Wt./Ft.</u>	
4-1/2	5.000	Std.	0.247	12.5300	10	10.750	20	0.250	28.0400	
		Ex. Hvy.	0.355	17.6100			30	0.307	34.2400	
		XX. Hvy.	0.710	32.5300			40 Std.	0.365	40.4800	
5	5.563	5	0.109	6.3490			60 Ex. Hvy.	0.500	54.7400	
			10	0.134			7.7700	80	0.593	64.3300
			40 Std.	0.258			14.6200	100	0.719	77.0300
		80 Ex. Hvy.	0.375	20.7800			120	0.843	89.2000	
		120	0.500	27.0400			140	1.000	104.1000	
		160	0.625	32.9600			160	1.125	115.7000	
		XX Hvy.	0.750	38.5500			11	11.750	Std.	0.375
6	6.625	5	0.109	7.5850	Ex. Hvy.	0.500			60.0700	
		10	0.134	9.2890	100	0.718			76.9300	
		20	0.188	12.9200	12	12.750	5	0.165	22.1800	
30	0.250	17.0200	10	0.180			24.2000			
40 Std.	0.280	18.9700	20	0.250			33.3800			
80 Ex Hvy.	0.432	28.5700	30	0.330			43.7700			
120	0.562	36.3900	Std.	0.375			49.5600			
160	0.718	45.3000	40	0.406			53.5300			
XX. Hvy.	0.864	53.1600	Ex. Hvy.	0.500			65.4200			
7	7.625	Std.	0.301	23.5700			60	0.562	73.1600	
			Ex. Hvy.	0.500			38.0500	80	0.687	88.5100
			XX. Hvy.	0.875			63.0800	100	0.843	107.2000
			8	8.625	5	0.109	9.9140	120	1.000	125.5000
						10	0.148	13.4000	140	1.125
20	0.250	22.3600				160	1.312	160.3000		
30	0.277	24.7000				14	14.000	10	0.250	36.7100
40 Std.	0.322	28.5500						20	0.312	45.6800
60	0.406	35.6400	30 Std.	0.375	54.5700					
80 Ex. Hvy.	0.500	43.3900	40	0.437	63.3700					
100	0.593	50.8700	Ex. Hvy.	0.500	72.0900					
120	0.718	60.6300	60	0.593	84.9100					
140	0.812	67.7600	80	0.750	106.1000					
XX Hvy.	0.875	72.4200	100	0.937	130.7000					
160	0.906	74.6900	120	1.093	150.7000					
9	9.625	Std.	0.342	33.9000	140			1.250	170.2000	
		Ex. Hvy.	0.500	48.7200	160	1.406	189.1000			
10	10.750	5	0.134	15.1900	16	16.000	10	0.250	42.0500	
		10	0.165	18.7000			20	0.312	52.3600	
10	10.750	5	0.134	15.1900			30 Std.	0.375	62.5800	
							10	0.165	18.7000	40 Ex. Hvy.



Pipe (continued)

<u>Size (in)</u>	<u>O.D.</u>	<u>Schedule</u>	<u>Wall</u>	<u>Wt./Ft.</u>	<u>Size (in)</u>	<u>O.D.</u>	<u>Schedule</u>	<u>Wall</u>	<u>Wt./Ft.</u>			
16	16.000	60	0.656	107.5000	24	24.000	10	0.250	63.4100			
		80	0.843	136.5000			20 Std.	0.375	94.6200			
		100	1.031	164.8000			Ex. Hvy.	0.500	125.5000			
		120	1.218	192.3000			30	0.562	140.8000			
		140	1.437	223.5000			40	0.687	171.2000			
		160	1.593	245.1000			60	0.968	238.1000			
18	18.000	10	0.250	47.3900	80	1.218	296.4000	100	1.531	367.4000		
		20	0.312	59.0300	120	1.812	429.4000	140	2.062	483.1000		
		Std.	0.375	70.5900	160	2.343	541.9000					
		30	0.437	82.0600								
		Ex. Hvy.	0.500	93.4500	26	26.000	10	0.312	85.6000			
		40	0.562	104.8000			Std.	0.375	102.6000			
		60	0.750	138.2000			20 Ex. Hvy.	0.500	136.2000			
		80	0.937	170.8000								
		100	1.156	208.0000			28	28.000	10	0.312	92.2600	
		120	1.375	244.1000					Std.	0.375	110.6000	
140	1.562	274.2000	20 Ex. Hvy.	0.500	146.8000							
160	1.781	308.5000	30	0.625	182.7000							
20	20.000	10	0.250	52.7300	30	30.000	10	0.312	98.9300			
		20 Std.	0.375	78.6000			Std.	0.375	118.6000			
		30 Ex. Hvy.	0.500	104.1000			20 Ex. Hvy.	0.500	157.5000			
		40	0.593	122.9000			30	0.625	196.1000			
		60	0.812	166.4000								
		80	1.031	208.9000			32	32.000	10	0.312	105.6000	
		100	1.280	256.1000	Std.	0.375			126.7000			
		120	1.500	296.4000	20 Ex. Hvy.	0.500			168.2000			
		140	1.750	341.1000	30	0.625			209.4000			
		22	22.000	10	0.250	58.0700	40	0.688	230.1000	34	34.000	10
20 Std.	0.375			86.6100	Std.	0.375	134.7000					
30 Ex. Hvy.	0.500			114.8000	20 Ex. Hvy.	0.500	178.9000					
60	0.875			197.4000	30	0.625	222.8000					
80	1.125			250.8000	40	0.688	244.8000					
100	1.375			302.9000	36	36.000	10	0.312	118.9000			
120	1.625			353.6000			Std.	0.375	142.7000			
140	1.875			403.0000			20 Ex. Hvy.	0.500	189.6000			
160	2.125			451.1000			30	0.625	236.1000			
								40	0.750	282.3000		



Pipe (continued)

<u>Size (in)</u>	<u>O.D.</u>	<u>Schedule</u>	<u>Wall</u>	<u>Wt./Ft.</u>
38	38.000		0.312	125.5800
			0.375	150.6900
			0.500	200.2500
40	40.000		0.312	132.2500
			0.375	158.7000
			0.500	210.9300
42	42.000	Std.	0.375	166.7000
		Ex. Hvy.	0.500	221.6000
		30	0.625	276.1800
		40	0.750	330.4100
			0.875	384.3100
			1.000	437.8800
48	48.000	Std.	0.375	190.7000
		Ex. Hvy.	0.500	253.6000
			0.750	378.4700
			0.875	440.3800
			1.000	501.9600

Stock Lengths: 21' and/or 42'
Different End Finishes and Coatings Available
We Can Cut To Length



Round Tubing – ASTM A513

<u>O.D. Size</u>	<u>Gauge</u>	<u>Wt./Ft.</u>	<u>O.D. Size</u>	<u>Gauge</u>	<u>Wt./Ft.</u>	<u>O.D. Size</u>	<u>Gauge</u>	<u>Wt./Ft.</u>		
1/2	20	0.1739	1-1/4	18	0.6285	1.66	14	1.3980		
	18	0.2360		16	0.8227		12	1.8060		
	16	0.3020		15	0.9059		11	1.9740		
	15	0.3291		14	1.0350	1-3/4	18	0.8902		
5/8	20	0.2205	13	1.1720	16		1.1700			
	18	0.3014	12	1.3280	15		1.2900			
	16	0.3888	11	1.4480	14		1.4780			
	15	0.4253	10	1.5550	13	1.6790				
	14	0.4805	1-5/16	16	0.8680	12	1.9100			
	13	0.5377		15	0.9560	11	2.0890			
3/4	20	0.2673	14	1.0920	10	2.3130	1-7/8	18	0.9555	
	18	0.3669	12	1.4040	16	1.2570		16	1.2570	
	16	0.4756	11	1.5320	15	1.3870		15	1.3870	
	15	0.5214	1-3/8	18	0.6939	14		1.5890	14	1.5890
	14	0.5913		16	0.9094	13		1.8060	13	1.8060
	13	0.6646	15	1.0020	12	2.0560		12	2.0560	
	12	0.7462	14	1.1450	11	2.2490		11	2.2490	
11	0.8074	13	1.2990	10	2.4920	10	2.4920			
7/8	20	0.3140	12	1.4740	1.90	16	1.2740			
	18	0.4322	11	1.6080		15	1.4060			
	16	0.5623	10	1.7760		14	1.6110			
	15	0.6175	1-1/2	18		0.7594	12	2.0850		
	14	0.7021		16		0.9962	11	2.2810		
	13	0.7914	15	1.0980		2	16	1.3430		
	12	0.8917	14	1.2560			15	1.4830		
	11	0.9676	13	1.4260			14	1.6990		
1	18	0.4977	12	1.6190	13		1.9330			
	16	0.6491	11	1.7690	12	2.2010				
	15	0.7136	10	1.9950	11	2.4090				
	14	0.8129	1-5/8	18	0.8247	10	2.6700			
	13	0.9183		16	1.0830	2-1/4	16	1.5170		
	12	1.0370	15	1.1940	15		1.6750			
11	1.1280	14	1.3670	14	1.9210					
1.05	16	0.6840	13	1.5520	13		2.1870			
	15	0.7520	12	1.7650	12	2.4920				
	14	0.8570	11	1.9290	11	2.7300				
	12	1.1000	10	2.1340	10	3.0280				
	11	1.1920	1.66	16	1.1070					
		15		1.2210						



Round Tubing – ASTM A513 (continued)

<u>O.D. Size</u>	<u>Gauge</u>	<u>Wt./Ft.</u>	<u>O.D. Size</u>	<u>Gauge</u>	<u>Wt./Ft.</u>	<u>O.D. Size</u>	<u>Gauge</u>	<u>Wt./Ft.</u>
2-3/8	16	1.6040	3-1/2	14	2.6000	8-5/8	12	9.8000
	15	1.7710		12	3.3000		10	12.5000
	14	2.0320		11	3.7000		3/16"	16.9000
	12	2.6380		10	4.2000		1/4"	22.4000
	11	2.8900						
		3.6500	4	14	3.2000	10	12	12.2000
2-1/2	16	1.6900		12	4.5000		11	12.8000
	15	1.8670		11	4.9000		10	14.5000
	14	2.1430		10	5.7000		3/16"	19.7000
	13	2.4400		3/16"	7.6000		1/4"	26.0000
	12	2.7830	4-1/2	14	3.6000	10-3/4	12	12.2000
	11	3.0500		12	5.0000		10	15.6000
	10	3.3860		11	5.6000		3/16"	21.2000
7	4.4600	10		6.4000	1/4"		28.0000	
		3/16"		8.6000				
2-5/8	16	1.7770	5	14	4.0000	12	12	13.6000
	15	1.9630		12	5.6000		10	17.5000
	14	2.2530		10	7.2000		3/16"	23.7000
	12	2.9290		3/16"	9.6000		1/4"	31.4000
	11	3.2100						
2-3/4	16	1.8640	6	14	4.8000	12-3/4	12	14.5000
	15	2.0590		12	6.8000		10	18.6000
	14	2.3640		10	8.6000		3/16"	25.2000
	13	2.6940		3/16"	11.6000		1/4"	33.4000
	12	3.0750		6-5/8	14		5.4000	14
	11	3.3710	12		7.9000	10	20.4000	
	10	3.7440	10		9.6000	3/16"	27.7000	
		3/16"	12.9000	1/4"	36.7000			
2-7/8	14	2.4800	7	14	5.7000	16	12	18.2000
	12	3.2200		12	7.9000		10	23.4000
	11	3.5300		10	10.1000		3/16"	31.2000
	3/16"	5.4000		3/16"	13.6000		1/4"	42.1000
3	16	2.0380	8	14	6.5000	Weights Per Foot May Vary Other Sizes Available Please Inquire		
	15	2.2500		12	9.0000			
	14	2.5900		11	10.3000			
	13	2.9500		10	11.6000			
	12	3.3700		3/16"	15.6000			
	11	3.6900						
	10	4.1000						
	7	5.6500						